

MATCHBOX

TECHNICAL INFORMATION

Stage Dimensions

Width	9.35 m
Length	13.70 m
Total Floor Area	128 m ²

Hight

Gallery	+2.74 m
Lower edge of ceiling grate	+4.05 m

Ceiling Grid Load

Option 1	15 kg per pipe at 1 m spacing
Option 2	25 kg per pipe at 1.7 m spacing

No horizontal loads are allowed.

SEATING CAPACITY

Bleacher Seating	59 Pers.
Max. capacity	200 Pers.

LOADS

Floor	500 kg/m ²
-------	-----------------------

STAGE TECHNICAL SYSTEMS

ceiling grid	1 m x 1 m (round pipe \varnothing 48 mm)
--------------	--

LIGHTING TECHNICAL SYSTEM

Lighting Control System	MA Lighting Dot2
Electrical Circuits (2 kW DIM)	36 units

SOUND TECHNICAL SYSTEM

Mixer	Yamaha DM7
Public Address System	L-Acoustics 4 x MTD112

VIDEO TECHNICAL SYSTEM

Upon request

PROMPTING SYSTEM

Location	Flexible
Stage Manager's Desk	4 Sets of Lights General Call Paging System Camera Total Riedel Intercom

BUILDING UTILITIES

Direct Circuits	reserved for dimmer
Fire Protection	Fire Detection System
Heating	Via ventilation system
Ventilation (air-conditioned fresh air supply)	2-Speed (max. 60 Pers.)

DELIVERY

Roller gate	1.85 m x 3.5 m (width x height)
Door towards Box	0.85 m x 2 m (width x height)
Door towards Reception	1.2 m x 2 m (width x height)

PROPS

For pyrotechnic and fog effects, the fire alarm system CANNOT be switched off.